



## Resource Guide

Subject:	Exit Sign
Facility Site Review Source:	Site Review Survey, Section I. Access/Safety Reviewer Guidelines, C. Site environment is safe for all patients, visitors, and personnel, 5. Exit doors are clearly marked with “Exit” signs.
Relevant Law/Standard:	29 CFR §1910.37: Maintenance, safeguards, and operational features for exit routes.
Agency//Organization Source:	Occupational Safety And Health Administration, Department Of Labor
Agency/Organization URL	<a href="https://www.dir.ca.gov/title8/3216.html">https://www.dir.ca.gov/title8/3216.html</a>

**Background:**

Site environment is safe for all patients, visitors, and personnel.

**Standard:**

Exit doors are clearly marked with “Exit” signs. Signs must be posted in visible areas, such as hallways, exam rooms and patient waiting areas.

Each exit sign must have the word “Exit” in plainly legible letters not less than six inches (15.2 cm) high, with the principal strokes of the letters in the word “Exit” not less than three-fourths of an inch (1.9 cm) wide.

While 29 CFR [1910.37(b)] does not specifically require employers to provide exit signs which can be understood by persons with disabilities, in keeping with the policies of the Americans with Disabilities Act, Occupational Safety and Health Administration (OSHA) strongly encourages all employers to provide such signage whenever appropriate.

**Purpose:**

Exit doorways are unobstructed and clearly marked by a readily visible “Exit” sign.

**Information:**

Standard 29 CFR 1910 Subpart E says the exit routes have to be located as far away from each other as possible so that if one route is blocked by fire or smoke, employees can use the other route to escape.

However, a single exit route is allowed where the number of employees, the size of the building, or the arrangement of the workplace would enable all employees to exit safely during an emergency.

Fire escapes, accessible windows, or other means of escape should be available where only one exit route is provided.

In some workplaces, more than two exit routes may be necessary to safely evacuate all employees.

Appendix A: Printable Exit Sign



**Appendix B:** Exit signs that can be purchased



[Amazon Fire Exit Photoluminescent Sign Running Man \(Left Arrow\) 15" x 6"](#)



[Amazon ADA EXIT Sign Braille Grade II, 6"x6", Double Sided Tape](#)

The material in this document is a knowledge-sharing tool provided by the FSR team to enhance compliance with Facility Site Review requirements. All content is for informational purposes and may be used and/or modified according to site-specific practices. Ensure appropriate review and approval by site management prior to adoption.